

Primitive & Plain T_EX text control sequences

<code>\</code>	primitive (control space)
<code>\"</code>	plain.tex
<code>\#</code>	plain.tex
<code>\\$</code>	plain.tex
<code>\%</code>	plain.tex
<code>\&</code>	plain.tex
<code>\'</code>	plain.tex
<code>\+</code>	plain.tex
<code>\-</code>	primitive (discretionary hyphen)
<code>\.</code>	plain.tex
<code>\/</code>	primitive (italic correction)
<code>\=</code>	plain.tex
<code>\@cclv</code>	plain.tex
<code>\@cclvi</code>	plain.tex
<code>\@crfalse</code>	plain.tex
<code>\@crtrue</code>	plain.tex
<code>\@foot</code>	plain.tex
<code>\@if</code>	plain.tex
<code>\@ins</code>	plain.tex
<code>\@m</code>	plain.tex
<code>\@M</code>	plain.tex
<code>\@midfalse</code>	plain.tex
<code>\@midtrue</code>	plain.tex
<code>\@MM</code>	plain.tex
<code>\@ne</code>	plain.tex
<code>\@nother</code>	plain.tex
<code>\@penup</code>	plain.tex
<code>\@sf</code>	plain.tex
<code>\aa</code>	plain.tex
<code>\AA</code>	plain.tex
<code>\accent</code>	primitive
<code>\active</code>	plain.tex
<code>\acute</code>	plain.tex
<code>\adjdemerits</code>	primitive
<code>\advance</code>	primitive
<code>\advancepageno</code>	plain.tex
<code>\ae</code>	plain.tex

<code>\AE</code>	plain.tex
<code>\afterassignment</code>	primitive
<code>\aftergroup</code>	primitive
<code>\alloc@</code>	plain.tex
<code>\allocationnumber</code>	plain.tex
<code>\b</code>	plain.tex
<code>\badness [3]</code>	primitive
<code>\baselineskip</code>	primitive
<code>\batchmode</code>	primitive
<code>\begingroup</code>	primitive
<code>\beginsection</code>	plain.tex
<code>\bf</code>	plain.tex
<code>\bffam</code>	plain.tex
<code>\bgroup</code>	plain.tex
<code>\bigbreak</code>	plain.tex
<code>\bigskip</code>	plain.tex
<code>\bigskipamount</code>	plain.tex
<code>\body</code>	plain.tex
<code>\botmark</code>	primitive
<code>\box</code>	primitive
<code>\box255</code>	primitive (page contents)
<code>\boxmaxdepth</code>	primitive
<code>\break</code>	plain.tex
<code>\brokenpenalty</code>	primitive
<code>\bye</code>	plain.tex
<code>\c</code>	plain.tex
<code>\catcode</code>	primitive
<code>\centerline</code>	plain.tex
<code>\ch@ck</code>	plain.tex
<code>\char</code>	primitive
<code>\chardef</code>	primitive
<code>\cleaders</code>	primitive
<code>\cleartabs</code>	plain.tex
<code>\closein</code>	primitive
<code>\closeout</code>	primitive
<code>\clubpenalty</code>	primitive
<code>\columns</code>	plain.tex
<code>\copy</code>	primitive
<code>\copyright</code>	plain.tex

<code>\count</code>	primitive
<code>\count@</code>	plain.tex
<code>\count0</code>	plain.tex (page number, <code>\pageno</code>)
<code>\countdef</code>	primitive
<code>\cr</code>	primitive
<code>\crcr</code>	primitive
<code>\csname</code>	primitive
<code>\d</code>	plain.tex
<code>\dag</code>	plain.tex
<code>\day</code>	primitive
<code>\ddag</code>	plain.tex
<code>\deadcycles</code>	primitive
<code>\def</code>	primitive
<code>\defaultthyphenchar</code>	primitive
<code>\dimen</code>	primitive
<code>\dimen@</code>	plain.tex
<code>\dimen@i</code>	plain.tex
<code>\dimen@ii</code>	plain.tex
<code>\dimendef</code>	primitive
<code>\discretionary</code>	primitive
<code>\divide</code>	primitive
<code>\do</code>	plain.tex
<code>\dospecials</code>	plain.tex
<code>\dosupereject</code>	plain.tex
<code>\dotfill</code>	plain.tex
<code>\dots</code>	plain.tex
<code>\doublehyphendemerits</code>	primitive
<code>\downbracefill</code>	plain.tex
<code>\dp</code>	primitive
<code>\dump</code>	primitive
<code>\edef</code>	primitive
<code>\egroup</code>	plain.tex
<code>\eject</code>	plain.tex
<code>\else</code>	primitive
<code>\emergencystretch [3]</code>	primitive
<code>\empty</code>	plain.tex
<code>\end</code>	primitive
<code>\endcsname</code>	primitive
<code>\endgraf</code>	plain.tex

<code>\endgroup</code>	primitive
<code>\endinput</code>	primitive
<code>\endinsert</code>	plain.tex
<code>\endline</code>	plain.tex
<code>\endlinechar</code>	primitive
<code>\enskip</code>	plain.tex
<code>\enspace</code>	plain.tex
<code>\errhelp</code>	primitive
<code>\errmessage</code>	primitive
<code>\errorcontextlines [3]</code>	primitive
<code>\errorstopmode</code>	primitive
<code>\escapechar</code>	primitive
<code>\everycr</code>	primitive
<code>\everyhbox</code>	primitive
<code>\everyjob</code>	primitive
<code>\everypar</code>	primitive
<code>\everyvbox</code>	primitive
<code>\exhyphenpenalty</code>	primitive
<code>\expandafter</code>	primitive
<code>\f@t</code>	plain.tex
<code>\f@t</code>	plain.tex
<code>\fi</code>	primitive
<code>\filbreak</code>	plain.tex
<code>\finalhyphendemerits</code>	primitive
<code>\finph@t</code>	plain.tex
<code>\finsm@sh</code>	plain.tex
<code>\firstmark</code>	primitive
<code>\fivebf</code>	plain.tex
<code>\fiverm</code>	plain.tex
<code>\floatingpenalty</code>	primitive
<code>\fmtname</code>	plain.tex
<code>\fmtversion</code>	plain.tex
<code>\fo@t</code>	plain.tex
<code>\folio</code>	plain.tex
<code>\font</code>	primitive
<code>\fontdimen</code>	primitive
<code>\fontname</code>	primitive
<code>\footins</code>	plain.tex
<code>\footline</code>	plain.tex

<code>\footnote</code>	plain.tex
<code>\footnoterule</code>	plain.tex
<code>\footstrut</code>	plain.tex
<code>\frenchspacing</code>	plain.tex
<code>\futurelet</code>	primitive
<code>\gdef</code>	primitive
<code>\global</code>	primitive
<code>\globaldefs</code>	primitive
<code>\goodbreak</code>	plain.tex
<code>\H</code>	plain.tex
<code>\h@false</code>	plain.tex
<code>\h@true</code>	plain.tex
<code>\halign</code>	primitive
<code>\hang</code>	plain.tex
<code>\hangafter</code>	primitive
<code>\hangindent</code>	primitive
<code>\hbadness</code>	primitive
<code>\hbox</code>	primitive
<code>\headline</code>	plain.tex
<code>\hfil</code>	primitive
<code>\hfill</code>	primitive
<code>\hfilneg</code>	primitive
<code>\hfuzz</code>	primitive
<code>\hgl@</code>	plain.tex
<code>\hglue</code>	plain.tex
<code>\hideskip</code>	plain.tex
<code>\hidewidth</code>	plain.tex
<code>\hoffset</code>	primitive
<code>\holdinginserts</code> [3]	primitive
<code>\hphantom</code>	plain.tex
<code>\hrule</code>	primitive
<code>\hrulefill</code>	plain.tex
<code>\hsize</code>	primitive
<code>\hskip</code>	primitive
<code>\hss</code>	primitive
<code>\ht</code>	primitive
<code>\hyphenation</code>	primitive
<code>\hyphenchar</code>	primitive
<code>\hyphenpenalty</code>	primitive

<code>\i</code>	plain.tex
<code>\ialign</code>	plain.tex
<code>\if</code>	primitive
<code>\if@</code>	plain.tex
<code>\if@cr</code>	plain.tex
<code>\if@mid</code>	plain.tex
<code>\ifcase</code>	primitive
<code>\ifcat</code>	primitive
<code>\ifdim</code>	primitive
<code>\ifeof</code>	primitive
<code>\iffalse</code>	primitive
<code>\ifh@</code>	plain.tex
<code>\ifhbox</code>	primitive
<code>\ifhmode</code>	primitive
<code>\ifinner</code>	primitive
<code>\ifmmode</code>	primitive
<code>\ifnum</code>	primitive
<code>\ifodd</code>	primitive
<code>\ifp@ge</code>	plain.tex
<code>\ifr@ggedbottom</code>	plain.tex
<code>\iftrue</code>	primitive
<code>\ifus@</code>	plain.tex
<code>\ifv@</code>	plain.tex
<code>\ifvbox</code>	primitive
<code>\ifvmode</code>	primitive
<code>\ifvoid</code>	primitive
<code>\ifx</code>	primitive
<code>\ignorespaces</code>	primitive
<code>\immediate</code>	primitive
<code>\indent</code>	primitive
<code>\input</code>	primitive
<code>\inputlineno [3]</code>	primitive
<code>\insc@unt</code>	plain.tex
<code>\insert</code>	primitive
<code>\insertpenalties</code>	primitive
<code>\interfootnotelinepenalty</code>	plain.tex
<code>\interlinepenalty</code>	primitive
<code>\it</code>	plain.tex
<code>\item</code>	plain.tex

<code>\itemitem</code>	plain.tex
<code>\iterate</code>	plain.tex
<code>\itfam</code>	plain.tex
<code>\j</code>	plain.tex
<code>\jobname</code>	primitive
<code>\jot</code>	plain.tex
<code>\kern</code>	primitive
<code>\l</code>	plain.tex
<code>\L</code>	plain.tex
<code>\language [3]</code>	primitive
<code>\lastbox</code>	primitive
<code>\lastkern</code>	primitive
<code>\lastpenalty</code>	primitive
<code>\lastskip</code>	primitive
<code>\lccode</code>	primitive
<code>\leaders</code>	primitive
<code>\leavevmode</code>	plain.tex
<code>\leftarrowfill</code>	plain.tex
<code>\lefthyphenmin [3]</code>	primitive
<code>\leftline</code>	plain.tex
<code>\leftskip</code>	primitive
<code>\let</code>	primitive
<code>\line</code>	plain.tex
<code>\linepenalty</code>	primitive
<code>\lineskip</code>	primitive
<code>\lineskiplimit</code>	primitive
<code>\llap</code>	plain.tex
<code>\long</code>	primitive
<code>\loop</code>	plain.tex
<code>\looseness</code>	primitive
<code>\lower</code>	primitive
<code>\lowercase</code>	primitive
<code>\lq</code>	plain.tex
<code>\m@g</code>	plain.tex
<code>\m@ketabbox</code>	plain.tex
<code>\m@ne</code>	plain.tex
<code>\mag</code>	primitive
<code>\magnification</code>	plain.tex
<code>\magstep</code>	plain.tex

<code>\magstephalf</code>	plain.tex
<code>\makefootline</code>	plain.tex
<code>\makeheadline</code>	plain.tex
<code>\makephont</code>	plain.tex
<code>\makesm@sh</code>	plain.tex
<code>\mark</code>	primitive
<code>\maxdeadcycles</code>	primitive
<code>\maxdepth</code>	primitive
<code>\maxdimen</code>	plain.tex
<code>\meaning</code>	primitive
<code>\medbreak</code>	plain.tex
<code>\medskip</code>	plain.tex
<code>\medskipamount</code>	plain.tex
<code>\message</code>	primitive
<code>\midinsert</code>	plain.tex
<code>\month</code>	primitive
<code>\moveleft</code>	primitive
<code>\moveright</code>	primitive
<code>\mscount</code>	plain.tex
<code>\multiply</code>	primitive
<code>\multispan</code>	plain.tex
<code>\narrower</code>	plain.tex
<code>\negthinspace</code>	plain.tex
<code>\newbox</code>	plain.tex
<code>\newcount</code>	plain.tex
<code>\newdimen</code>	plain.tex
<code>\newhelp</code>	plain.tex
<code>\newif</code>	plain.tex
<code>\newinsert</code>	plain.tex
<code>\newlanguage [3]</code>	plain.tex
<code>\newlinechar</code>	primitive
<code>\newread</code>	plain.tex
<code>\newskip</code>	plain.tex
<code>\newtoks</code>	plain.tex
<code>\newwrite</code>	plain.tex
<code>\next</code>	plain.tex
<code>\noalign</code>	primitive
<code>\noboundary [3]</code>	primitive
<code>\nobreak</code>	plain.tex

<code>\noexpand</code>	primitive
<code>\noindent</code>	primitive
<code>\nointerlineskip</code>	plain.tex
<code>\nonfrenchspacing</code>	plain.tex
<code>\nonstopmode</code>	primitive
<code>\nopagenumbers</code>	plain.tex
<code>\normalbaselines</code>	plain.tex
<code>\normalbaselineskip</code>	plain.tex
<code>\normalbottom</code>	plain.tex
<code>\normallineskip</code>	plain.tex
<code>\normallineskiplimit</code>	plain.tex
<code>\null</code>	plain.tex
<code>\nullfont</code>	primitive
<code>\number</code>	primitive
<code>\o</code>	plain.tex
<code>\O</code>	plain.tex
<code>\oalign</code>	plain.tex
<code>\obeylines</code>	plain.tex
<code>\obeyspaces</code>	plain.tex
<code>\oe</code>	plain.tex
<code>\OE</code>	plain.tex
<code>\offinterlineskip</code>	plain.tex
<code>\oldstyle</code>	plain.tex
<code>\omit</code>	primitive
<code>\oalign</code>	plain.tex
<code>\openin</code>	primitive
<code>\openout</code>	primitive
<code>\openup</code>	plain.tex
<code>\or</code>	primitive
<code>\outer</code>	primitive
<code>\output</code>	primitive
<code>\outputpenalty</code>	primitive
<code>\overfullrule</code>	primitive
<code>\P</code>	plain.tex
<code>\p@</code>	plain.tex
<code>\p@gefalse</code>	plain.tex
<code>\p@gettrue</code>	plain.tex
<code>\pagebody</code>	plain.tex
<code>\pagecontents</code>	plain.tex

<code>\pagedepth</code>	primitive
<code>\pagefilllstretch</code>	primitive
<code>\pagefillstretch</code>	primitive
<code>\pagefilstretch</code>	primitive
<code>\pagegoal</code>	primitive
<code>\pageinsert</code>	plain.tex
<code>\pageno</code>	plain.tex
<code>\pageshrink</code>	primitive
<code>\pagestretch</code>	primitive
<code>\pagetotal</code>	primitive
<code>\par</code>	primitive
<code>\parfillskip</code>	primitive
<code>\parindent</code>	primitive
<code>\parshape</code>	primitive
<code>\parskip</code>	primitive
<code>\patterns</code>	primitive
<code>\pausing</code>	primitive
<code>\penalty</code>	primitive
<code>\ph@nt</code>	plain.tex
<code>\phantom</code>	plain.tex
<code>\plainoutput</code>	plain.tex
<code>\preloaded</code>	plain.tex
<code>\pretolerance</code>	primitive
<code>\prevdepth</code>	primitive
<code>\prevgraf</code>	primitive
<code>\qqquad</code>	plain.tex
<code>\quad</code>	plain.tex
<code>\r@ggedbottomfalse</code>	plain.tex
<code>\r@ggedbottomtrue</code>	plain.tex
<code>\raggedbottom</code>	plain.tex
<code>\raggedright</code>	plain.tex
<code>\raise</code>	primitive
<code>\read</code>	primitive
<code>\relax</code>	primitive
<code>\removelastskip</code>	plain.tex
<code>\repeat</code>	plain.tex
<code>\rgroup</code>	plain.tex
<code>\rightarrowfill</code>	plain.tex
<code>\righthyphenmin</code> [3]	primitive

<code>\rightline</code>	plain.tex
<code>\rightskip</code>	primitive
<code>\rlap</code>	plain.tex
<code>\rm</code>	plain.tex
<code>\romannumeral</code>	primitive
<code>\rq</code>	plain.tex
<code>\S</code>	plain.tex
<code>\s@tcols</code>	plain.tex
<code>\s@tt@b</code>	plain.tex
<code>\scrollmode</code>	primitive
<code>\setbox</code>	primitive
<code>\setlanguage [3]</code>	primitive
<code>\sett@b</code>	plain.tex
<code>\settabs</code>	plain.tex
<code>\sevenbf</code>	plain.tex
<code>\sevenrm</code>	plain.tex
<code>\sfcode</code>	primitive
<code>\shipout</code>	primitive
<code>\show</code>	primitive
<code>\showbox</code>	primitive
<code>\showboxbreadth</code>	primitive
<code>\showboxdepth</code>	primitive
<code>\showhyphens</code>	plain.tex
<code>\showlists</code>	primitive
<code>\showthe</code>	primitive
<code>\sist@@n</code>	plain.tex
<code>\skip</code>	primitive
<code>\skip@</code>	plain.tex
<code>\skipdef</code>	primitive
<code>\sl</code>	plain.tex
<code>\slash</code>	plain.tex
<code>\slfam</code>	plain.tex
<code>\smallbreak</code>	plain.tex
<code>\smallskip</code>	plain.tex
<code>\smallskipamount</code>	plain.tex
<code>\smash</code>	plain.tex
<code>\sp@n</code>	plain.tex
<code>\space</code>	plain.tex
<code>\spacefactor</code>	primitive

<code>\spaceskip</code>	primitive
<code>\span</code>	primitive
<code>\special</code>	primitive
<code>\splitbotmark</code>	primitive
<code>\splitfirstmark</code>	primitive
<code>\splitmaxdepth</code>	primitive
<code>\splittopskip</code>	primitive
<code>\ss</code>	plain.tex
<code>\string</code>	primitive
<code>\strut</code>	plain.tex
<code>\strutbox</code>	plain.tex
<code>\supereject</code>	plain.tex
<code>\t</code>	plain.tex
<code>\t@bb@x</code>	plain.tex
<code>\t@b@x</code>	plain.tex
<code>\tabalign</code>	plain.tex
<code>\tabs</code>	plain.tex
<code>\tabsdone</code>	plain.tex
<code>\tabskip</code>	primitive
<code>\tabsyet</code>	plain.tex
<code>\tenbf</code>	plain.tex
<code>\tenit</code>	plain.tex
<code>\tenrm</code>	plain.tex
<code>\tensl</code>	plain.tex
<code>\tentt</code>	plain.tex
<code>\TeX</code>	plain.tex
<code>\textindent</code>	plain.tex
<code>\the</code>	primitive
<code>\thinspace</code>	plain.tex
<code>\thr@@</code>	plain.tex
<code>\time</code>	primitive
<code>\toks</code>	primitive
<code>\toks@</code>	plain.tex
<code>\toksdef</code>	primitive
<code>\tolerance</code>	primitive
<code>\topglue [3]</code>	plain.tex
<code>\topins</code>	plain.tex
<code>\topinsert</code>	plain.tex
<code>\topmark</code>	primitive

<code>\topskip</code>	primitive
<code>\tracingall</code>	plain.tex
<code>\tracingcommands</code>	primitive
<code>\tracinglostchars</code>	primitive
<code>\tracingmacros</code>	primitive
<code>\tracingonline</code>	primitive
<code>\tracingoutput</code>	primitive
<code>\tracingpages</code>	primitive
<code>\tracingparagraphs</code>	primitive
<code>\tracingrestores</code>	primitive
<code>\tracingstats</code>	primitive
<code>\tt</code>	plain.tex
<code>\tffam</code>	plain.tex
<code>\ttraggedright</code>	plain.tex
<code>\tw@</code>	plain.tex
<code>\u</code>	plain.tex
<code>\uccode</code>	primitive
<code>\uchyph</code>	primitive
<code>\undefined</code>	plain.tex
<code>\underbar</code>	plain.tex
<code>\unhbox</code>	primitive
<code>\unhcopy</code>	primitive
<code>\unkern</code>	primitive
<code>\unpenalty</code>	primitive
<code>\unskip</code>	primitive
<code>\unvbox</code>	primitive
<code>\unvcopy</code>	primitive
<code>\upbracefill</code>	plain.tex
<code>\uppercase</code>	primitive
<code>\us@false</code>	plain.tex
<code>\us@true</code>	plain.tex
<code>\v</code>	plain.tex
<code>\v@false</code>	plain.tex
<code>\v@true</code>	plain.tex
<code>\vadjust</code>	primitive
<code>\valign</code>	primitive
<code>\vbadness</code>	primitive
<code>\vbox</code>	primitive
<code>\vfil</code>	primitive

<code>\vfill</code>	primitive
<code>\vfilneg</code>	primitive
<code>\vfootnote</code>	plain.tex
<code>\vfuzz</code>	primitive
<code>\vgl@</code>	plain.tex
<code>\vglue</code>	plain.tex
<code>\voffset</code>	primitive
<code>\voidb@x</code>	plain.tex
<code>\vphantom</code>	plain.tex
<code>\vrule</code>	primitive
<code>\vsize</code>	primitive
<code>\vskip</code>	primitive
<code>\vsplit</code>	primitive
<code>\vss</code>	primitive
<code>\vtop</code>	primitive
<code>\wd</code>	primitive
<code>\widowpenalty</code>	primitive
<code>\wlog</code>	plain.tex
<code>\write</code>	primitive
<code>\xdef</code>	primitive
<code>\xleaders</code>	primitive
<code>\xspaceskip</code>	primitive
<code>\year</code>	primitive
<code>\z@</code>	plain.tex
<code>\z@skip</code>	plain.tex
<code>\^</code>	plain.tex
<code>\^^L</code>	plain.tex
<code>\^^M</code>	plain.tex
<code>_</code>	plain.tex
<code>\‘</code>	plain.tex
<code>\~</code>	plain.tex